



Dart Hawkesbury
1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada
Tel (613) 832-5200

Purchasing Receipts

PO No	Supplier	Line Item No	Rel No	Terms	Purchased Item	Description	For Part No	Project	Equipment ID	Order Qty	Due Date	Received Quantity	Accounting Job No	Serial No	Status	Receive Date	Price/Unit	Aging Days	Past Due	Total	Supplier Name
PO038599	MEC002-VU	2	1	Net 30	M7075T6S4.000X3.000	7075-T6S Sheet 4.000" Thick X 3.000" Wide : MATERIAL: 7075-T6/T62 ALUMINUM SHEET AS PER QQ-A- 250/12 OR AMS-QQ-A- 250/12 OR AMS 4045 OR ASTM B209 receive fl				12	12/22/2017	12		S029905	Stock	1/6/2018	\$ 82.60 / ft	3		\$991.20	Metaux Castle
Total:										12		12								\$991.20	

Plex 1/8/2018 9:53 AM Dart.Plouffe.Sonia

Status: Receiving
Part: **M7075T6S4.000X3**
Created: 1/8/18 9:52 AM DART.PLOUFFE.SON

Serial No: **S029905**

**INTERORG TRANSFER
PACKING SLIP/
CERTIFICATE OF CONFORMANCE**

Page 1 of 1


Shipment No: 3459801

Ship From: A. M. CASTLE & CO. 14001 ORANGE AVENUE PARAMOUNT, CA 90723 USA		Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		Ship To: A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN		Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
Date Shipped 12-DEC-17	F.O.B. ORIGIN	Freight Terms Prepaid		Carrier ABF		BOL No 3459801-2	

Shipment Details


Order No	Line No	Item No	Description	Ordered Qty	Invoice Qty
4980806	1	752190.MO	4.0060 PL: 7075 T651 ALUMINUM: USL 48.5000 144.5000 CUT 2SIDED TO 3 IN (+ .1250) X 144.5 IN () - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12	1.00 PCS	1.00 PCS
Purchase Order No 38599	Part Number		Ordered Qty 1.00 PCS		

Details
ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY
ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX: HEAT #'S
Email P/s and certs to: clavoie@artaero.com
END USER: DART AEROSPACE
END USE: COMMERCIAL AIRCRAFT PARTS



Delivery No. 121488062	Mill/Source KAISER ALUMINUM	Heat Number  243429B8	Mech Id 1	PCs 1	Width (IN)	Length (IN)	Shipped Qty (LBS) 179.6876
----------------------------------	--	---	---------------------	-----------------	-------------------	--------------------	--------------------------------------

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer, cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative: 

Date Printed: 12-DEC-2017 04:33:38 PM

Date:  Name: 



SHIP TO:

A M CASTLE & CO
14001 ORANGE AVE
P.O. BOX 1402
PARAMOUNT, CA 90723

KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

SOLD TO:

AM CASTLE & CO- SOLD TO
1420 KENSINGTON RD
SUITE 220
OAK BROOK, IL 60523

CERTIFIED TEST REPORT

Serial Number
4484392

CUSTOMER PO NUMBER: 436241-1	WORK PACKAGE:	CUSTOMER PART NUMBER: 752190	SHIP RUN/LOAD: 104089/22	GOV'T CONTRACT NUMBER:
KAISER ORDER NO: 1243633-1	SHIP DATE: 3-NOV-2017	ALLOY: 7075	CLAD: BARE	TEMPER: T651
PRODUCT DESCRIPTION: KaiserSelect Plate	WEIGHT SHIPPED: 5710 LB	QUANTITY: 2 PCS EST.	TRUCK BAL #: 2069908	GAUGE: 4.0000 IN (101.6000 MM)
DIAMETER/WIDTH: 48.500 IN (1231.9 MM)	LENGTH: 144.500 IN (3670.3 MM)			

MHU 2158493: LOT 243429B8: 1 pieces;

MHU 2158495: LOT 243429B8: 1 pieces;

Certified Specifications

AMS 4045/RevL
ASTM B 209/Rev14
BSS 7055/RevB
DPS 4.713/RevAK
PPS 20.04/Rev7

AMS-QQ-A-250/12/RevA
ASTM B 594/Rev13
CMMP 025/RevV
GAMPS 9101/RevB/AmdSCN1
PS 21211/RevP

AMS-STD-2154/RevC
BAC 5439/RevJ
CSTI 006/RevE
GSS16100/RevG/Amd1

Test Code: 1512

Lot: 243429B8

Cast 540

Drop 29

Test Results

Ingot 3

Melted in USA

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T651	LT / 2 (Min:Max)	73.2 : 74.0 (505 : 510)	60.4 : 61.9 (416 : 427)	11.1 : 11.9

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.06	0.12	1.5	0.02	2.5	0.19	5.8	0.02	0.01	0.02	TOT 0.03

ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075												
MIN(wt%)	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder

ORDER COMMENTS

AMC CA-15403E R 6





Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4484392

TEST NOTES

Metal represented by this test report was 100% Type I (immersion) ultrasonically tested from one side with 3mm dead zones top and bottom and meets the Class A and Class B requirements of all specifications referenced on this test report. No surface marking of sonic indications is performed.

CERTIFICATION

Kaiser Aluminum, Trentwood Works, is ISO 9001, AS9100, and ISO 14001 certified, and hereby certifies that all material shipped under this order:

- has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein.
- All test equipment and measuring devices are calibrated and certified in accordance applicable specifications. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements. Reported elongation values have been measured as elongation at fracture.
- was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.
- has been thermally processed in compliance with AMS 2772, where applicable.
- is mercury free, within the limits of detection of ASTM E1215 (< 1ppm).
- is in compliance with RoHS 2, European Union Directive 2011/65/EU.
- is in compliance with European Chemical Agency, ECHA, REACH regulations, (EC) No 1907/2006, and Kaiser regularly monitors these regulations for updates.
- is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.
- is free of weld repair.
- meets the reporting requirements of EN10204, Type 3.1.

Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.

JAMES HEMENWAY, TECHNICAL PROCESS MANAGER

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: 470254654.000x3.000

PO / BATCH NO.: 038599/5029905

DATE: JAN 08 2018

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 12'
 QUANTITY INSPECTED: 12'
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 3.000
 THICKNESS RECEIVED: 3.000
 SHEET SIZE ORDERED: N/A
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y (N)	
CORRECT FINISH	(Y) N	
CORROSION	Y (N)	
CORRECT GRAIN DIRECTION	(Y) N	
CORRECT MATERIAL PER M-DRAWING	(Y) N	QC-A-250
CORRECT THICKNESS	(Y) N	
PHOTO REQUIRED	Y (N)	
CORRECT REF # TO LINK CERT	(Y) N	Heat # 243429B8
CORRECT MATERIAL IDENTIFICATION	(Y) N	
CORRECT M# ON THE MATERIAL	(Y) N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y (N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y (N)	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DA 1</u> DATE: <u>9-8 JAN 08 2018</u>	SIGNED OFF BY: _____ DATE: _____	

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

SPECIFICATION CONTROL DRAWING

PURCHASE MATERIAL: 7075-T6/T62/T651 ALUMINUM SHEET OR PLATE

SPECIFICATION: QQ-A-250/13 OR AMS-QQ-A-250/12

OR AMS 4048
OR ASTM B209

OR

PURCHASE MATERIAL: 7075-T6/T62/T651 ALCLAD ALUMINUM SHEET OR PLATE

SPECIFICATION: QQ-A-250/13 OR AMS-QQ-A-250/13

OR AMS 4048 / 4049
OR ASTM B209

PART NUMBER:

M7075T6S | TTT | X | W | WWW |
| THK | | WIDTH |

WHERE "TTT" = THICKNESS (IN INCHES)
AND "WWW" = WIDTH (IN INCHES, OPTIONAL, FOR SPECIFYING CUT PLATE)

EG. 0.063" THICK SHEET = M7075T6S.063
EG. 3.5" WIDE BY 0.500" THICK PLATE = M7075T6S.500X3.500

PREFERRED SIZE:

.TTT BY 4FT BY 10FT FOR SHEET

RELEASED

2017 JUN 19
ECN 17-574

APPROVED

B	ADD REF TO PLATE: T651 TEMPER, AMS 4048, OPTIONAL WIDTH DIM (CARB-149)	CP	17.05.05
A	NEW ISSUE	RF	10.11.09
REV.		BY	DATE
DESIGN	RF		
DRAWN	CP		
CHECKED	ML		
MFG. APPR.	LL		
APPROVED	WM		
DE APPR.	DS		
DATE	17.05.05		
DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA			
DRAWING NO. M7075T6S			
SHEET 1 OF 1			
REV. B			
SCALE NTS			
7075-T6 SHEET/PLATE SPEC			
COPYRIGHT © 2010 BY DART AEROSPACE LTD			
THIS DOCUMENT IS UNCLASSIFIED EXCEPT WHERE SHOWN OTHERWISE			
UNCLASSIFIED EXCEPT WHERE SHOWN OTHERWISE			



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER **PO038599**

Supplier: MEC002-VU
Metaux Castle
P.O. Box 4090 Stn A
Toronto
ON
M5W OE9 Canada

PO No: PO038599

PO Date: 12/7/17

Due Date: 12/22/17

Purchase Order
Revision:

Revision Date:

Ship-To Contact: Lavoie, Chantal
clavoie@dartaero.com

E-MAILED
DEC 17 2017

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

Via: Ground

Pymt Terms: Net 30

Freight Terms:

Special Comments:

Items

Line Item	Part	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (USD)	Extended Price
1	M17-4-B1.250X02.000	17-4 SS Bar 1.250 x 2.00 : MATERIAL: 17-4 PH SS BAR AS PER AMS 5604/5643 GRAIN MUST BE ALONG LENGHT OF BAR MIN. YIELD TENSILE STRENGTH = 100 KSI MIN. ULTIMATE TENSILE STRENGTH = 150 KSI receive ft	Firmed	12/22/17	12 ft	0 ft	12 ft	\$53.29/ft	\$639.48
2	M7075T6S4.000X3.000	7075-T6S Sheet 4.000" Thick X 3.000" Wide : MATERIAL: 7075-T6/T62 ALUMINUM SHEET AS PER QQ-A-250/12 OR AMS-QQ-A-250/12 OR AMS 4045 OR ASTM B209 receive ft	Firmed	12/22/17	12 ft	0 ft	12 ft	\$82.60/ft	\$991.20

Line Item Note NOTE: PLEASE CUT IN SECTION OF 6 FT LENGHT

Grand Total: \$1,630.68

Order Notes

Order Notes

Procurement Quality Clauses

A005 right of entry
A012 chemical and physical test report
A016 personnel qualification
A017 raw material identification (as applicable)
A026 certification of material conformance
A041 quality management system
A042 dart notification by supplier
A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program
A049 supplier awareness



Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 12/7/17 3:12 PM dart.lavoie.chantal

Chantal Lavoie

From: Desbiens, Marc <mdesbien@amcastle.com>
Sent: Thursday, November 30, 2017 11:36 AM
To: Chantal Lavoie
Subject: RE: quote

Hi Chantal,

36519

price an delivery on item.

~~17-4 bar 1.250" x 2" x 12 ft \$ 53.29 Ft 2 weeks~~

~~7075-t6 plate 4" x 3" x 12 ft \$ 82.60 Ft 2-3 weeks~~

7075-t6 plate 4" x 4" cut at 32" x 10 pcs \$ 254.00 piece 2-3 weeks

Thanks

Marc Desbiens
Inside sales representative
Castle Metals, Montreal, QC
Direct line 514-795-8176
1-800-806-6660 ext 52226
Fax # 1-855-892-6370

Customized Supply Chain Solutions for Your Metal Needs

This E-mail may contain proprietary information and may be confidential. You are to treat this material in accordance with your company's confidentiality policies and limit any distribution accordingly.

If you are not the intended recipient of this E-mail, you are hereby notified that any dissemination, distribution or copying of this message is strictly prohibited. If you received this message in error, please delete it immediately.